ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to solvide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	FOR INSURANCE COMPANY USE						
BUILDING OWNER'S NAME JOSEPH W. GIR		POLICY NUMBER					
STREET ADDRESS (Including Ap 95 HARBOR DRIV		COMPANY NAIC NUMBER :					
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)			•			
LOT 1 BLK"A" UN	IT C BELLEAT	R BEACH	SUBDIVISION	STATE	ZIP CODE		
BELLEAIR		ORIDA					
:	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION			
Provide the following from t	he proper FIRM (See	Instructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	BASE FLOOD ELEVATION (in AO Zones, use depth)		
125089	0002	В	03-02-83	"A11"	10.00		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:							
	SECTION	ON C BUILDI	NG ELEVATION INFOR	MATION			
 (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grad level) elevated in accordance in the comments on Pathe FIRM [see Section equation under Comments 	is at an elevation of Let BFE). The floor used as the reference adjacent to the build ordance with the compatum system used in a ge 2). (NOTE: If the B, Item 7], then convents on Page 2.)	d as the reference level from the burners level from the burners level from the burners level from the burners flood munity's flood public level for the elevation datus and the burners in the elevation datus level for the elevation datus level fo	of the lowest horizontal state of the lowest horizontal state of the NGVD (or other FIF nee level from the selected building. In the selected diagram is a depth number is available and management ordinar above reference level elem used in measuring the tens to the datum system to	RM datum—see Sed diagram is Less de diagram is Less de diagram is Less de diagram is Less de diagram de diagra	above or below (check g's lowest floor (reference No Unknown VD '29 Other (describe		
4. Elevation reference mar							
case this certificate will o will be required once co	ction drawings is only only be valid for the bu nstruction is complete	valid if the buil uilding during th .)	lding does not yet have the course of construction.	ne reference leve A post-construc	ction Elevation Certificate		
6. The elevation of the low Section B, Item 7).	est grade immediatel	y adjacent to th	ne building is: 15.1	. feet NGVD	(or other FIRM datum-see		
1	S	ECTION D C	OMMUNITY INFORMAT	ON			
is not the "lowest floor"	as defined in the com ordinance is:	munity's floodp	olain management ordina NGVD (or other FIRM da	nce, the elevatior tum-see Section	indicated in Section C, Item 1 n of the building's "lowest B, Item 7).		


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

DENNIS J. EYRE	LICE	NSE NUMBER (or Affix Seal)		
REG. SURVEYOR	COMPANY NAME ALLIED SUF	*		
ADDRESS	CITY		STATE	ZIP
2124 SUNNYDALE BLYD.	CLEARWATER	' FLORIDA	34625	
SIGNATURE (900)	09-0	7-93 81	3-44-1263	
Copies should be made of this Certificate to	for: 1) community official, 2)	insurance agent/compa	iny, and 3) building	owner.
COMMENTS:				
· ·		i sa		-



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.